


水質チェック票 2014

日付	せせらぎ水路				ピオトープ			
	測定時間	気温(°C)	水温(°C)	pH	測定時間	気温(°C)	水温(°C)	pH
2/1	:				:			
2/2	:				:			
2/3	:				:			
2/4	:				:			
2/5	:				:			
2/6	:				:			
2/7	:				:			
2/8	10:45	4.7	10.1	7.5	10:50	2.8	3.5	7.5
2/9	10:20	9.5	10.4	7.5	10:26	7.4	4.6	7.5
2/10	10:05	9.1	10.5	7.5	10:12	6.4	5.1	7.5
2/11	9:13	5.3	10.1	7.5	9:20	3.6	3.7	7.5
2/12	9:26	8.9	10.9	7.5	9:31	5.2	4.4	7.5
2/13	10:02	10.1	11.0	7.5	10:10	7.1	6.5	7.5
2/14	9:30	5.2	10.2	7.5	9:35	2.8	3.1	7.5
2/15	9:10	8.1	10.4	7.5	9:18	5.3	4.3	7.5
2/16	9:04	8.2	10.4	7.5	9:09	6.4	5.1	7.5
2/17	9:11	13.6	10.8	7.5	9:19	10.2	6.4	7.5
2/18	9:10	8.4	10.4	7.5	9:20	5.3	3.8	7.5
2/19	9:18	9.7	10.6	7.5	9:29	5.8	4.2	7.5
2/20	9:45	9.6	10.6	7.5	9:51	5.1	4.1	7.5
2/21	9:55	12.4	10.9	7.5	10:30	8.1	4.7	7.5
2/22	9:05	9.9	10.2	7.5	8:55	5.1	4.1	7.5
2/23	9:15	7.9	10.1	7.5	9:17	4.9	4.4	7.5
2/24	9:07	7.0	10.2	7.5	9:12	5.1	5.0	7.5
2/25	13:40	14.7	12.0	7.5	13:45	18.7	8.1	7.5
2/26	10:20	14.6	11.3	7.5	10:30	12.0	6.7	7.5
2/27	10:37	8.4	11.8	7.5	10:47	6.3	7.3	7.5
2/28	10:40	16.2	11.9	7.5	10:07	14.5	9.5	7.5



水質チェック票 2014

日付	せせらぎ水路				ピオトープ			
	測定時間	気温(°C)	水温(°C)	pH	測定時間	気温(°C)	水温(°C)	pH
3/1	11:13	9.1	12.1	7.5	11:16	7.3	9.8	7.5
3/2	9:30	4.5	11.8	7.5	9:40	4.9	7.9	7.5
3/3	9:30	5.8	11.7	7.5	9:35	5.5	7.3	7.5
3/4	9:45	9.8	11.1	7.5	9:50	11.9	6.0	7.5
3/5	10:01	6.9	11.4	7.5	10:05	4.4	7.0	7.5
3/6	10:36	11.6	11.5	7.5	9:16	8.7	4.9	7.5
3/7	9:26	14.1	10.9	7.5	9:32	8.7	4.7	7.5
3/8	9:28	9.2	10.6	7.5	9:32	11.1	4.7	7.5
3/9	13:45	13.3	11.9	7.5	13:49	18.9	8.7	7.5
3/10	16:40	7.2	11.5	7.5	16:35	5.6	7.8	7.5
3/11	8:53	12.2	10.6	7.5	8:48	5.7	3.9	7.5
3/12	9:48	16.8	11	7.5	9:51	15.2	5.8	7.5
3/13	10:50	9.9	11.8	7.5	10:45	7.3	8.8	7.5
3/14	13:33	11.4	12	7.5	10:15	10.1	9.2	7.5
3/15	14:08	13.6	11.6	7.5	14:12	12.2	10.0	7.5
3/16	9:53	16.3	11.7	7.5	9:54	11.6	7.8	7.5
3/17	9:40	17.7	11.7	7.5	9:43	15.7	8.8	7.5
3/18	9:31	18.9	11.7	7.5	9:35	17.7	10.5	7.5
3/19	9:50	18.6	11.8	7.5	9:55	15.6	10.5	7.5
3/20	9:15	8.0	11.8	7.0	9:20	6.6	9.1	7.0
3/21	10:41	13.7	11.7	7.5	10:44	14.3	9.6	7.5
3/22	9:53	16.5	11.6	7.5	10:02	13.5	7.9	7.5
3/23	11:43	17.5	11.7	7.5	11:48	21.3	9.9	7.5
3/24	9:44	22.1	11.7	7.5	9:50	20.7	9.4	7.5
3/25	9:55	24.4	11.9	7.5	9:59	18.7	11.7	7.5
3/26	9:50	17.3	11.8	7.5	9:58	16.9	13.2	7.5
3/27	10:25	12.4	11.8	7.0	11:37	11.5	13.7	7.5
3/28	14:10	22.1	12.1	7.5	10:18	20.7	12.5	7.5
3/29	10:45	19.9	12.1	7.5	10:50	22.7	14.2	7.5
3/30	15:05	18.2	13	7.5	9:40	16.3	15.0	7.5
3/31	9:50	21.3	13.1	7.5	9:53	17.2	13.4	7.5




田楽 吟

水質チェック票 2014

水質チェック票 2014

日付	せせらぎ水路					ビオトープ		
	測定時間	気温(°C)	水温(°C)	pH	DO	測定時間	気温(°C)	水温(°C)
4/1	11:39	18.7	12.5	8.15	13.6	11:20	18.1	13.6
4/2	9:42	15.2	12.5	8.08		9:51	14.2	11.3
4/3	9:50	13.8	12.6	8.11		10:05	12.7	10.6
4/4	14:27	23.6	12.8	8.10		14:35	21.6	15.2
4/5	9:27	11.6	12.0	8.05		9:37	10.8	10.9
4/6	15:16	11.3	12.1	8.14		15:26	10.0	11.5
4/7	14:47	15.1	12.3	8.15		14:50	16.1	12.1
4/8	9:36	23.8	13.1	8.09	10.0	9:45	18.5	11.7
4/9	9:20	13.7	12.5	8.04		9:28	11.2	10.0
4/10	11:00	24.6	13.6	8.07		11:12	23.0	16.5
4/11	10:38	11.8	12.4	8.12		10:48	12.9	9.5
4/12	13:25	21.6	13.0	8.04		13:30	19.3	12.3
4/13	10:30	13.1	12.5	8.08		10:35	12.9	10.0
4/14	9:37	16.2	13.0	8.12		9:45	14.8	11.6
4/15	9:20	23.7	13.3	8.01	11.4	9:35	19.5	13.2
4/16	14:10	23.8	13.5	8.20		14:27	25.8	15.8
4/17	11:15	22.6	12.8	8.14		11:26	19.3	14.7
4/18	10:25	13.9	13.1	8.11		10:10	11.2	10.1
4/19	15:07	15.1	12.9	8.21	10.2	15:24	15.5	14.1
4/20	10:45	12.1	13.6	8.03	9.9	10:55	14.0	12.2
4/21	9:30	13.6	12.5	8.04		9:40	12.5	13.6
4/22	14:53	18.1	13.0	8.12	9.1	14:37	19.0	15.2
4/23	16:00	17.1	13.1	8.08		16:10	18.0	11.2
4/24	10:40	20.1	13.6	8.13		10:35	18.6	10.6
4/25	14:08	25.2	13.5	8.14		14:20	23.8	16.8
4/26	14:20	25.1	13.8	8.05	9.7	14:30	24.5	17.2
4/27	9:07	21.4	13.7	8.06		9:18	20.5	15.5
4/28	11:10	19.6	13.5	8.10		11:19	21.1	16.8
4/29	16:35	18.4	13.2	8.09	8.2	16:45	19.7	16.5
4/30	14:00	19.0	13.6	8.03		14:10	17.2	14.3



pH	DO
8.53	12.8
8.35	
8.40	
8.21	
8.43	
8.36	
8.11	
8.24	10.8
8.27	
8.44	
8.27	
8.45	
8.51	
8.28	
8.34	10.8
8.22	
8.09	
8.15	
7.82	10.2
8.06	7.0
8.13	
7.70	6.4
7.93	
7.87	
7.91	
7.85	6.1
7.85	
7.81	
7.90	6.8
7.93	



日付	せせらぎ水路					ビオトープ				
	測定時間	気温(°C)	水温(°C)	pH	DO	測定時間	気温(°C)	水温(°C)	pH	DO
5/1	10:35	23.6	13.5	8.05		10:25	22.6	16.8	8.01	
5/2	11:35	25.0	13.6	8.11		11:45	23.8	15.5	7.91	
5/3	9:05	22.6	13.2	8.08		9:10	21.2	16.0	7.86	
5/4	14:13	19.8	13.1	8.09		14:23	20.8	14.9	7.94	
5/5	10:30	20.2	13.0	8.14		10:15	18.5	13.8	7.88	
5/6	11:38	13.0	13.3	8.12	9.2	11:30	14.0	15.5	7.80	7.7
5/7	15:13	23.6	13.8	8.02		15:26	22.2	17.4	7.92	
5/8	9:40	19.0	13.2	8.03		9:50	20.8	16.1	7.81	
5/9	9:22	23.0	13.6	7.86		9:35	22.6	15.0	7.89	
5/10	13:00	24.1	13.5	7.83		13:08	25.0	17.3	7.83	
5/11	14:20	23.5	14.0	8.12		14:30	27.2	17.4	8.02	
5/12	9:55	25.0	14.1	7.85		10:08	23.0	18.1	7.89	
5/13	14:50	24.3	15.0	7.98	7.5	15:00	23.0	18.4	7.92	6.1
5/14	10:41	21.2	14.2	7.76		10:35	23.7	18.6	7.88	
5/15	16:12	24.5	15.4	8.18		16:17	23.6	18.5	8.08	
5/16	16:30	22.4	15.0	7.88		16:35	24.8	18.6	7.92	
5/17	13:30	24.4	15.5	7.83		13:45	25.0	17.6	7.93	
5/18	13:15	23.9	15.5	8.03		13:20	25.5	18.0	8.16	
5/19	15:45	23.5	15.4	7.69		15:55	25.5	18.6	8.18	
5/20	14:15	26.2	17.8	7.96	9.0	14:25	26.0	20.2	8.11	5.7
5/21	16:10	17.3	17.3	7.14		16:20	18.0	17.3	8.01	
5/22	13:52	24.7	17.3	8.09		14:00	23.0	18.1	8.22	
5/23	14:45	21.9	17.2	8.19		14:50	21.8	17.8	8.12	
5/24	16:20	22.4	17.4	8.02		16:30	22.6	18.3	8.18	
5/25	13:45	23.0	17.8	8.13		14:00	26.8	20.1	8.13	
5/26	15:32	22.5	17.2	8.13		15:37	23.5	19.8	8.13	
5/27	15:47	24.6	17.3	8.20	9.6	15:57	25.0	19.9	8.08	6.9
5/28	14:57	21.9	17.2	7.87		14:55	27.0	21.1	8.12	
5/29	15:10	25.8	18.3	7.45		15:20	25.0	21.3	8.06	
5/30	16:45	24.0	17.8	7.69		16:55	28.0	22.0	8.16	
5/31	14:57	28.6	17.0	8.20		15:04	31.0	22.7	8.21	



日付	せせらぎ水路					ビオトープ				
	測定時間	気温(°C)	水温(°C)	pH	DO	測定時間	気温(°C)	水温(°C)	pH	DO
6/1	13:20	24.8	18.3	8.29		13:15	31.0	23.4	8.05	
6/2	11:30	21.4	18.6	8.17		11:40	29.5	22.8	8.16	
6/3	14:40	25.8	18.5	8.03	9.5	14:50	29.0	22.4	8.23	4.9
6/4	15:09	22.0	17.2	8.09		15:03	28.0	22.9	8.16	
6/5	15:56	19.9	17.2	7.47		16:01	22.3	20.9	8.19	
6/6	14:30	20.0	17.6	7.35		14:20	21.0	19.7	8.09	
6/7	15:55	18.4	17.5	7.45		15:50	18.8	18.9	7.89	
6/8	14:25	21.8	17.8	7.49		14:18	21.5	19.6	8.08	
6/9	13:50	22.8	18.2	7.64		13:44	24.5	21.3	8.11	
6/10	15:08	22.5	17.3	8.27	8.9	15:15	26.6	21.8	8.21	8.2
6/11	14:50	21.7	18.0	7.52		14:43	22.5	21.5	8.18	
6/12	15:47	22.8	17.4	7.39		15:55	22.2	21.0	8.14	
6/13	14:45	22.0	17.9	8.09		14:36	25.7	22.4	8.19	
6/14	13:40	23.3	18.6	8.27		13:30	27.8	22.6	8.25	
6/15	13:30	20.6	18.9	8.40		13:20	28.5	21.1	7.87	
6/16	15:46	28.5	17.3	7.65		15:52	29.4	22.5	8.17	
6/17	13:15	22.8	18.7	8.21	6.6	13:10	27.5	22.8	8.13	5.5
6/18	14:50	21.1	17.5	7.68		14:45	24.0	22.0	8.11	
6/19	13:10	23.0	17.9	8.21		13:05	28.5	23.1	8.21	
6/20	16:21	26.1	17.2	7.51		16:27	27.5	22.4	8.21	
6/21	13:10	22.3	18.6	8.17		13:20	26.5	23.1	8.21	
6/22	13:20	21.2	18.0	7.41		13:24	22.0	21.5	7.78	
6/23	16:50	24.5	17.3	7.18		16:55	26.5	22.3	7.77	
6/24	13:10	23.1	18.3	7.69	7.1	13:20	25.7	22.8	7.98	5.8
6/25	15:44	20.3	17.3	7.01		15:50	21.5	20.8	7.63	
6/26	15:50	21.8	18.4	7.72		15:45	25.5	22.1	7.81	
6/27	14:00	22.1	17.8	7.83		13:53	26.3	22.7	7.87	
6/28	13:05	22.3	17.6	7.35		13:10	21.8	22.1	7.91	
6/29	16:31	22.5	17.2	7.29		16:37	23.0	22.7	7.77	
6/30	15:00	24.2	18.2	7.39		14:56	26.8	22.9	7.94	



水質チェック票 2014

水質チェック票 2014

日付	せせらぎ水路					ピオトープ				
	測定時間	気温(°C)	水温(°C)	pH	DO	測定時間	気温(°C)	水温(°C)	pH	DO
7/1	16:40	22.4	18.1	7.48	6.9	16:45	26.8	23.1	7.98	5.5
7/2	13:10	20.6	18.1	7.64		13:05	28.5	23.8	7.91	
7/3	13:20	20.7	17.8	7.69		13:24	27.1	23.0	7.66	
7/4	14:26	21.5	17.3	7.03		14:30	22.0	21.8	7.86	
7/5	15:20	21.4	17.7	7.01		15:15	22.4	21.2	7.88	
7/6	9:17	22.2	17.4	7.25		9:22	23.8	21.3	8.11	
7/7	14:02	23.7	17.8	7.09		14:05	24.0	22.2	7.91	
7/8	15:30	28.3	19.4	7.27	7.1	15:35	30.0	23.9	7.76	5.4
7/9	15:54	23.2	20.6	7.31		15:50	25.5	23.1	7.98	
7/10	13:15	22.3	19.7	7.76		13:11	28.3	24.4	8.05	
7/11	14:01	24.0	20.4	8.09		13:56	32.5	25.7	7.74	
7/12	13:14	25.3	20.4	7.91		13:10	31.0	25.3	7.96	
7/13	16:30	24.0	18.8	7.40		16:35	27.8	23.4	7.91	
7/14	15:51	23.3	19.1	7.81		15:55	31.2	25.5	8.00	
7/15	14:13	24.8	20.6	7.88	6.9	14:07	31.0	26.1	7.87	7.1
7/16	14:27	25.1	20.3	7.75		14:23	32.3	26.5	7.78	
7/17	13:13	24.2	19.8	7.65		13:09	29.8	23.2	7.78	
7/18	13:15	24.8	19.8	7.48		13:10	26.5	24.3	7.95	
7/19	16:50	23.5	19.5	7.11		16:53	25.5	23.8	7.76	
7/20	13:28	25.6	19.8	7.34		13:25	27.8	23.8	7.83	
7/21	13:05	27.0	20.0	7.43		13:00	26.5	23.7	8.04	
7/22	14:05	26.3	19.7	7.68	6.0	13:57	30.5	25.1	7.91	5.1
7/23	14:45	26.1	19.6	7.73		14:50	31.0	26.3	8.01	
7/24	13:18	26.4	19.8	7.58		13:15	30.0	27.0	7.61	
7/25	13:43	25.9	20.1	7.83		13:40	31.5	25.9	7.84	
7/26	9:34	23.8	20.0	7.55		9:30	30.5	26.8	7.78	
7/27	10:10	23.5	20.0	7.64		10:00	32.0	27.5	8.06	
7/28	11:25	31.2	19.7	7.42		11:25	28.0	25.1	7.82	
7/29	14:20	29.1	19.8	8.04	7.7	14:28	30.5	25.9	8.10	7.4
7/30	16:10	27.5	20.7	7.91		16:15	31.0	25.5	8.05	
7/31	9:35	24	19.8	7.43		9:30	29	25.9	7.97	



日付	せせらぎ水路					ピオトープ				
	測定時間	気温(°C)	水温(°C)	pH	DO	測定時間	気温(°C)	水温(°C)	pH	DO
8/1	13:10	24.9	19.7	7.68		13:15	32.5	27.7	7.87	
8/2	13:40	27.8	19.8	7.76		13:45	33.0	26.3	7.80	
8/3	10:02	26.9	20.1	7.73		9:58	31.0	26.8	7.88	
8/4	9:05	30.1	20.8	7.57		9:00	31.0	26.6	7.97	
8/5	14:07	24.2	21.4	7.88	6.8	14:02	33.0	27.1	7.93	5.4
8/6	9:15	26.1	20.2	7.87		9:18	29.5	25.8	7.98	
8/7	16:25	28.3	20.0	7.84		16:30	32.8	25.6	7.71	
8/8	13:08	28.0	20.4	7.85		13:05	28.5	24.1	7.87	
8/9	16:30	24.9	22.4	7.73		16:35	25.5	25.1	7.76	
8/10	13:04	25.4	22.7	7.56		13:00	27.0	25.0	7.78	
8/11	13:15	26.8	22.5	7.71		13:11	32.5	27.2	7.64	
8/12	11:42	27.3	22.7	7.55	5.9	11:35	27.5	25.7	7.73	6.1
8/13	9:15	26.2	22.4	7.59		9:12	24.5	23.6	7.69	
8/14	16:35	27.1	22.3	7.35		16:40	26.5	25.8	7.66	
8/15	16:20	27.2	22.7	7.62		16:15	29.5	27.4	7.72	
8/16	13:34	26.6	22.6	7.45		13:30	28.5	26.4	7.76	
8/17	16:22	25.7	23.1	7.27		16:27	28.1	25.0	7.72	
8/18	13:20	28.4	23.6	7.67		8:50	28.0	25.9	7.94	
8/19	15:45	26.4	23.6	7.60		15:50	33.0	27.4	8.08	
8/20	8:55	26.6	23.6	7.58		9:00	31.0	27.5	7.87	
8/21	15:00	26.3	23.7	7.63		14:56	32.5	27.8	7.69	
8/22	9:15	26.1	23.8	7.71	6.4	9:11	30.5	27.4	7.71	5.4
8/23	13:33	26.0	23.6	7.42		13:30	27.5	27.1	7.68	
8/24	11:35	26.1	23.8	7.73		11:30	29.5	25.9	7.82	
8/25	8:50	24.7	23.5	7.27		8:55	26.0	25.4	7.91	
8/26	11:50	25.8	23.8	7.41	6.0	11:45	25.5	25.0	7.76	8.9
8/27	16:52	21.7	23.1	7.65		16:57	21.5	21.8	7.81	
8/28	9:10	21.9	22.8	7.56		9:15	21.3	21.0	7.97	
8/29	14:33	24.9	23.0	7.42		14:29	25.5	23.3	7.82	
8/30	11:44	26.5	23.1	7.42		11:40	24.0	22.3	7.70	
8/31	13:00	25.2	23.6	7.76		13:04	25	22.5	7.78	



水質チェック票 2014

日付	せせらぎ水路					ピオトープ				
	測定時間	気温(°C)	水温(°C)	pH	DO	測定時間	気温(°C)	水温(°C)	pH	DO
9/1	13:20	22.8	23.8	7.53		13:24	22.5	22.2	7.76	
9/2	13:45	26.5	24.6	7.74	6.6	13:50	27.3	22.9	7.77	5.2
9/3	9:54	24.9	24.0	7.48		9:49	25.5	22.5	7.86	
9/4	13:00	25.0	24.5	7.32		13:05	26.0	23.0	7.90	
9/5	13:00	24.8	24.6	7.55		13:04	26.5	24.2	7.86	
9/6	13:10	26.7	24.8	7.23		13:14	30.0	25.3	7.84	
9/7	13:05	22.0	23.9	7.68		13:10	22.0	22.1	7.82	
9/8	11:25	24.8	22.8	7.82		11:20	22.0	21.7	7.83	
9/9	13:10	27.0	23.8	7.92	7.2	13:15	26.0	22.0	7.87	7.5
9/10	11:58	26.0	23.6	7.89		11:55	25.5	22.4	7.91	
9/11	15:38	21.9	23.0	7.85		15:44	21.8	21.1	7.91	
9/12	13:04	27.0	23.2	7.83		13:00	25.0	21.8	7.98	
9/13	13:00	27.3	23.3	7.92		13:04	25.8	21.4	8.00	
9/14	11:58	26.8	23.0	7.72		11:53	26.0	21.3	7.75	
9/15	13:10	25.5	23.2	7.78		13:05	25.0	21.8	7.85	
9/16	16:50	24.3	24.2	7.83	7.6	16:45	27.5	22.9	7.74	7.7
9/17	11:20	21.9	23.5	7.79		11:16	24.0	22.3	7.74	
9/18	13:25	25.0	22.7	7.82		13:20	24.5	21.2	7.69	
9/19	13:26	24.5	21.7	7.98		13:21	24.5	20.0	7.88	
9/20	16:50	22.1	21.3	7.83		16:55	21.5	19.5	7.80	
9/21	13:50	25.1	21.4	7.81		13:55	24.8	19.2	7.81	
9/22	13:13	25.4	21.7	7.89		13:09	26.0	21.8	7.46	
9/23	13:07	25.8	21.8	7.92	6.4	13:12	25.0	20.9	7.64	7.6
9/24	11:35	23.7	21.6	7.75		11:40	23.5	20.5	7.82	
9/25	15:50	23.3	25.6	7.89		15:55	28.0	22.2	7.86	
9/26	14:00	26.4	22.5	7.78		14:05	26.5	21.8	7.77	
9/27	11:48	20.5	21.2	7.67		11:45	23.5	19.5	7.55	
9/28	13:19	25.2	21.7	7.86		13:15	25.3	21.0	7.66	
9/29	13:23	25.6	21.8	7.91		13:19	26.0	21.8	7.85	
9/30	15:00	25.3	22.3	7.84	7.4	15:05	27.5	21.4	7.81	7.1

